Interventional Radiology (IR) - Myelogram Preparation Instructions

Important Phone Numbers: Radiology Nurse: 206-341-0152 Radiology Scheduler: 206-583-6591

Name:	Date:	Check-in Time:	at Radiology, Buck Pavilion Level 5
-------	-------	----------------	-------------------------------------

7 days before procedure



If you take Coumadin (Warfarin) or Plavix (Clopidogrel), **call the radiology nurse**.

You may need to stop these medicines several days before the procedure. The Radiology nurse will call your prescribing doctor or anticoagulation clinic nurse for permission and instructions to stop these medicines. You will be contacted with instructions.

You doctor may prescribe an alternate medicine for your safety while you are off your Coumadin or Plavix.



The Radioloby Nurse will call you this week to review your instructions, make sure any required lab

studies are done, and answer any questions you might have. Feel free to call the nurse directly if you wish.

5 days before procedure



You will not be permitted to drive after your procedure. Arrange for a responsible person to drive you home.



If you take Aspirin, Plavix, Aggrenox, or Ibuprofen, **STOP** for the 5 days preceding your procedure

Call the radiology nurse if you have questions.



Call the radiology scheduler at if you need to cancel or change your appointment.

If you will not be at your usual contact number, call the scheduler with a phone number where we can reach you.

3 days before procedure



If you take coumadin, **STOP Coumadin** for the 3 days preceding your procedure. Start alternate medicine if prescribed for you.



You must also **stop all anti-depressant** medicines, as well as **all psychiatric medicines** 2 days

before your procedure You should not take these medicines for 24 hours after the procedure. Call the radiology nurse with a list of your medicines if you are in doubt.



Review the procedure day instructions .

If you have not yet talked to the radiology nurse, or you have any questions, contact the nurse.

Procedure day



You may have a light meal up to 2 hours before your procedure.



Drink plenty of clear liquids until 2 hours before your procedure



Allow about 1 hour for your recovery.